


22 System CAD Price List - 2023



Single Kits

1 of 12

SHIPPING

Standard 3-5 day shipping included within North America.

US patent # 7,956,295 B2
US patent # 8,912,439 B2
CAN patent # 2697182
Worldwide utility patents pending

LEAD TIMES

2-3 business days from receipt of payment in full.

Standard colours include: white, almond, grey, and black.
UL Certified.

A SINGLE REMOVAL TOOL IS REQUIRED FOR ALL INSTALLATIONS.

Kit Name	Code	Amp/ Configuration	Type	Device Length	Description	CAD
Single Outlet Kit	22.5.5S	15A	Alternate	Short	22.2.5 single mounting plate + 22.3.7S outlet short device	345
	22.5.5M	15A	Alternate	Medium	22.2.5 single mounting plate + 22.3.7M outlet medium device	345
	22.5.5L	15A	Alternate	Long	22.2.5 single mounting plate + 22.3.7L outlet long device	345
	22.6.5S	20A	Alternate	Short	22.2.5 single mounting plate + 22.3.8S outlet short device	345
	22.6.5M	20A	Alternate	Medium	22.2.5 single mounting plate + 22.3.8M outlet medium device	345
	22.6.5L	20A	Alternate	Long	22.2.5 single mounting plate + 22.3.8L outlet long device	345
	22.5.1S	15A	Drywall	Short	22.2.1 single mounting plate + 22.3.7S outlet short device	255
	22.6.1S	20A	Drywall	Short	22.2.1 single mounting plate + 22.3.8S outlet short device	255
Single USB-A Kit	22.2.5.10S	Single	Alternate	Short	22.2.5 single mounting plate + 22.3.10S USB-A short device	405
	22.2.5.10L	Single	Alternate	Long	22.2.5 single mounting plate + 22.3.10L USB-A long device	405
	22.2.1.10S	Single	Drywall	Short	22.2.1 single mounting plate + 22.3.10S USB-A short device	315

22 System CAD Price List - 2023




Single Kits

2 of 12

Kit Name	Code	Amp/ Configuration	Type	Device Length	Description	CAD
Single USB-C Kit	22.2.5.11S	Single	Alternate	Short	22.2.5 single mounting plate + 22.3.11S USB-C short device	510
	22.2.5.11M	Single	Alternate	Medium	22.2.5 single mounting plate + 22.3.11M USB-C medium device	510
	22.2.5.11L	Single	Alternate	Long	22.2.5 single mounting plate + 22.3.11L USB-C long device	510
	22.2.1.11S	Single	Drywall	Short	22.2.1 single mounting plate + 22.3.11S USB-C short device	420
Single HDMI Kit	22.2.5.12S	Single	Alternate	Short	22.2.5 single mounting plate + 22.3.12S HDMI short device	420
	22.2.5.12M	Single	Alternate	Medium	22.2.5 single mounting plate + 22.3.12M HDMI medium device	420
	22.2.5.12L	Single	Alternate	Long	22.2.5 single mounting plate + 22.3.12L HDMI long device	420
	22.2.1.12S	Single	Drywall	Short	22.2.1 single mounting plate + 22.3.12S HDMI short device	330
Single Cable Kit	22.2.5.5S	Single	Alternate	Short	22.2.5 single mounting plate + 22.3.5S F connector short device	345
	22.2.5.5M	Single	Alternate	Medium	22.2.5 single mounting plate + 22.3.5M F connector medium device	345
	22.2.5.5L	Single	Alternate	Long	22.2.5 single mounting plate + 22.3.5L F connector long device	345
	22.2.1.5S	Single	Drywall	Short	22.2.1 single mounting plate + 22.3.5S F connector short device	255
Single Data Kit	22.2.5.9S	Single	Alternate	Short	22.2.5 single mounting plate + 22.3.9S data short device	345
	22.2.5.9M	Single	Alternate	Medium	22.2.5 single mounting plate + 22.3.9M data medium device	345
	22.2.5.9L	Single	Alternate	Long	22.2.5 single mounting plate + 22.3.9L data long device	345
	22.2.1.9S	Single	Drywall	Short	22.2.1 single mounting plate + 22.3.9S data short device	255
Single Telephone Kit	22.2.5.3S	Single	Alternate	Short	22.2.5 single mounting plate + 22.3.3S telephone short device	345
	22.2.5.3M	Single	Alternate	Medium	22.2.5 single mounting plate + 22.3.3M telephone medium device	345
	22.2.5.3L	Single	Alternate	Long	22.2.5 single mounting plate + 22.3.3L telephone long device	345
	22.2.1.3S	Single	Drywall	Short	22.2.1 Single mounting plate + 22.3.3S telephone short device	255

22 System CAD Price List - 2023




Single Kits

3 of 12

Kit Name	Code	Amp/ Configuration	Type	Device Length	Description	CAD
Single Control Kit	22.2.5.6S	Single	Alternate	Short	22.2.5 single mounting plate + 22.3.6S control short device	515
	22.2.1.6S	Single	Drywall	Short	22.2.1 Single mounting plate + 22.3.6S control short device	425
Single Switch Kit	22.2.5.2S	Single	Alternate	Short	22.2.5 single mounting plate + 22.3.2S switch short device	415
	22.2.1.2S	Single	Drywall	Short	22.2.1 Single mounting plate + 22.3.2S switch short device	325

22 System CAD Price List - 2023



Double Kits

4 of 12

Kit Name	Code	Amp/ Configuration	Type	Device Length	Description	CAD
Double Outlet Kit	22.5.4S	15A / Linear	Alternate	Short	22.2.4 double linear mounting plate + 22.3.7S outlet short device (2)	550
	22.5.4M	15A / Linear	Alternate	Medium	22.2.4 double linear mounting plate + 22.3.7M outlet medium device (2)	550
	22.5.4L	15A / Linear	Alternate	Long	22.2.4 double linear mounting plate + 22.3.7L outlet long device (2)	550
	22.5.6S	15A / Diagonal	Alternate	Short	22.2.6 double diagonal mounting plate + 22.3.7S outlet short device (2)	550
	22.5.6M	15A / Diagonal	Alternate	Medium	22.2.6 double diagonal mounting plate + 22.3.7M outlet medium device (2)	550
	22.5.6L	15A / Diagonal	Alternate	Long	22.2.6 double diagonal mounting plate + 22.3.7L outlet long device (2)	550
	22.6.4S	20A / Linear	Alternate	Short	22.2.4 double linear mounting plate + 22.3.8S outlet short device (2)	550
	22.6.4M	20A / Linear	Alternate	Medium	22.2.4 double linear mounting plate + 22.3.8M outlet medium device (2)	550
	22.6.4L	20A / Linear	Alternate	Long	22.2.4 double linear mounting plate + 22.3.8L outlet long device (2)	550
	22.6.6S	20A / Diagonal	Alternate	Short	22.2.6 double diagonal mounting plate + 22.3.8S outlet short device (2)	550
	22.6.6M	20A / Diagonal	Alternate	Medium	22.2.6 double diagonal mounting plate + 22.3.8M outlet medium device (2)	550
	22.6.6L	20A / Diagonal	Alternate	Long	22.2.6 double diagonal mounting plate + 22.3.8L outlet long device (2)	550
	22.5.2S	15A / Linear	Drywall	Short	22.2.2 double linear mounting plate + 22.3.7S outlet short device (2)	460
	22.5.3S	15A / Diagonal	Drywall	Short	22.2.3 double diagonal mounting plate + 22.3.7S outlet short device (2)	460
	22.6.2S	20A / Linear	Drywall	Short	22.2.2 double linear mounting plate + 22.3.8S outlet short device (2)	460
	22.6.3S	20A / Diagonal	Drywall	Short	22.2.3 double diagonal mounting plate + 22.3.8S outlet short device (2)	460
Double Outlet-Control Kit	22.5.4.6S	15A / Linear	Alternate	Short	22.2.4 double linear mounting plate + 22.3.7S outlet short device + 22.3.6S control short device	720
	22.5.6.6S	15A / Diagonal	Alternate	Short	22.2.6 double diagonal mounting plate + 22.3.7S outlet short device + 22.3.6S control short device	720
	22.6.4.6S	20A / Linear	Alternate	Short	22.2.4 double linear mounting plate + 22.3.8S outlet short device + 22.3.6S control short device	720
	22.6.6.6S	20A / Diagonal	Alternate	Short	22.2.6 double diagonal mounting plate + 22.3.8S outlet short device + 22.3.6S control short device	720

22 System CAD Price List - 2023



Double Kits

5 of 12

Kit Name	Code	Amp/ Configuration	Type	Device Length	Description	CAD
	22.5.2.6S	15A / Linear	Drywall	Short	22.2.2 double linear mounting plate + 22.3.7S outlet short device + 22.3.6S control short device	630
	22.5.3.6S	15A / Diagonal	Drywall	Short	22.2.3 double diagonal mounting plate + 22.3.7S outlet short device + 22.3.6S control short device	630
	22.6.2.6S	20A / Linear	Drywall	Short	22.2.2 double linear mounting plate + 22.3.8S outlet short device + 22.3.6S control short device	630
	22.6.3.6S	20A / Diagonal	Drywall	Short	22.2.3 double diagonal mounting plate + 22.3.8S outlet short device + 22.3.6S control short device	630
Double Outlet-Switch Kit	22.5.4.2S	15A / Linear	Alternate	Short	22.2.4 double linear mounting plate + 22.3.7S outlet short device + 22.3.2S switch short device	620
	22.5.6.2S	15A / Diagonal	Alternate	Short	22.2.6 double diagonal mounting plate + 22.3.7S outlet short device + 22.3.2S switch short device	620
	22.6.4.2S	20A / Linear	Alternate	Short	22.2.4 double linear mounting plate + 22.3.8S outlet short device + 22.3.2S switch short device	620
	22.6.6.2S	20A / Diagonal	Alternate	Short	22.2.6 double diagonal mounting plate + 22.3.8S outlet short device + 22.3.2S switch short device	620
	22.5.2.2S	15A / Linear	Drywall	Short	22.2.2 double linear mounting plate + 22.3.7S outlet short device + 22.3.2S switch short device	530
	22.5.3.2S	15A / Diagonal	Drywall	Short	22.2.3 double diagonal mounting plate + 22.3.7S outlet short device + 22.3.2S switch short device	530
	22.6.2.2S	20A / Linear	Drywall	Short	22.2.2 double linear mounting plate + 22.3.8S outlet short device + 22.3.2S switch short device	530
	22.6.3.2S	20A / Diagonal	Drywall	Short	22.2.3 double diagonal mounting plate + 22.3.8S outlet short device + 22.3.2S switch short device	530

22 System CAD Price List - 2023




Double Kits

6 of 12

Kit Name	Code	Amp/ Configuration	Type	Device Length	Description	CAD
Double Outlet-Data Kit	22.5.4.9S	15A / Linear	Alternate	Short	22.2.4 double linear mounting plate + 22.3.7S outlet short device + 22.3.9S switch short device	550
	22.5.4.9M	15A / Linear	Alternate	Medium	22.2.4 double linear mounting plate + 22.3.7M outlet medium device + 22.3.9M switch medium device	550
	22.5.4.9L	15A / Linear	Alternate	Long	22.2.4 double linear mounting plate + 22.3.7L outlet long device + 22.3.9L switch long device	550
	22.5.6.9S	15A / Diagonal	Alternate	Short	22.2.6 double diagonal mounting plate + 22.3.7S outlet short device + 22.3.9S CAT6 short device	550
	22.5.6.9M	15A / Diagonal	Alternate	Medium	22.2.6 double diagonal mounting plate + 22.3.7M outlet medium device + 22.3.9M CAT6 medium device	550
	22.5.6.9L	15A / Diagonal	Alternate	Long	22.2.6 double diagonal mounting plate + 22.3.7L outlet long device + 22.3.9L CAT6 long device	550
	22.6.4.9S	20A / Linear	Alternate	Short	22.2.4 double linear mounting plate + 22.3.8S outlet short device + 22.3.9S CAT6 short device	550
	22.6.4.9M	20A / Linear	Alternate	Medium	22.2.4 double linear mounting plate + 22.3.8M outlet medium device + 22.3.9M CAT6 medium device	550
	22.6.4.9L	20A / Linear	Alternate	Long	22.2.4 double linear mounting plate + 22.3.8L outlet long device + 22.3.9L CAT6 long device	550
	22.6.6.9S	20A / Diagonal	Alternate	Short	22.2.6 double diagonal mounting plate + 22.3.8S outlet short device + 22.3.9S CAT6 short device	550
	22.6.6.9M	20A / Diagonal	Alternate	Medium	22.2.6 double diagonal mounting plate + 22.3.8M outlet medium device + 22.3.9M CAT6 medium device	550
	22.6.6.9L	20A / Diagonal	Alternate	Long	22.2.6 double diagonal mounting plate + 22.3.8L outlet long device + 22.3.9L CAT6 long device	550
	22.5.2.9S	15A / Linear	Drywall	Short	22.2.2 double linear mounting plate + 22.3.7S outlet short device + 22.3.9S CAT6 short device	460
	22.5.3.9S	15A / Diagonal	Drywall	Short	22.2.3 double diagonal mounting plate + 22.3.7S outlet short device + 22.3.9S CAT6 short device	460

22 System CAD Price List - 2023




Double Kits

7 of 12

Kit Name	Code	Amp/ Configuration	Type	Device Length	Description	CAD
	22.6.2.9S	20A / Linear	Drywall	Short	22.2.2 double linear mounting plate + 22.3.8S outlet short device + 22.3.9S CAT6 short device	460
	22.6.3.9S	20A / Diagonal	Drywall	Short	22.2.3 double diagonal mounting plate + 22.3.8S outlet short device + 22.3.9S CAT6 short device	460
Double Outlet-HDMI Kit	22.5.4.12S	15A / Linear	Alternate	Short	22.2.4 double linear mounting plate + 22.3.7S outlet short device + 22.3.12S HDMI short device	625
	22.5.4.12M	15A / Linear	Alternate	Medium	22.2.4 double linear mounting plate + 22.3.7M outlet medium device + 22.3.12M HDMI medium device	625
	22.5.4.12L	15A / Linear	Alternate	Long	22.2.4 double linear mounting plate + 22.3.7L outlet long device + 22.3.12L HDMI long device	625
	22.5.6.12S	15A / Diagonal	Alternate	Short	22.2.6 double diagonal mounting plate + 22.3.7S outlet short device + 22.3.12S HDMI short device	625
	22.5.6.12M	15A / Diagonal	Alternate	Medium	22.2.6 double diagonal mounting plate + 22.3.7M outlet medium device + 22.3.12M HDMI medium device	625
	22.5.6.12L	15A / Diagonal	Alternate	Long	22.2.6 double diagonal mounting plate + 22.3.7L outlet long device + 22.3.12L HDMI long device	625
	22.6.4.12S	20A / Linear	Alternate	Short	22.2.4 double linear mounting plate + 22.3.8S outlet short device + 22.3.12S HDMI short device	625
	22.6.4.12M	20A / Linear	Alternate	Medium	22.2.4 double linear mounting plate + 22.3.8M outlet medium device + 22.3.12M HDMI medium device	625
	22.6.4.12L	20A / Linear	Alternate	Long	22.2.4 double linear mounting plate + 22.3.8L outlet long device + 22.3.12L HDMI long device	625
	22.6.6.12S	20A / Diagonal	Alternate	Short	22.2.6 double diagonal mounting plate + 22.3.8S outlet short device + 22.3.12S HDMI short device	625
	22.6.6.12M	20A / Diagonal	Alternate	Medium	22.2.6 double diagonal mounting plate + 22.3.8M outlet medium device + 22.3.12M HDMI medium device	625
	22.6.6.12L	20A / Diagonal	Alternate	Long	22.2.6 double diagonal mounting plate + 22.3.8L outlet long device + 22.3.12L HDMI long device	625

22 System CAD Price List - 2023




Double Kits

8 of 12

Kit Name	Code	Amp/ Configuration	Type	Device Length	Description	CAD
	22.5.2.12S	15A / Linear	Drywall	Short	22.2.2 double linear mounting plate + 22.3.7S outlet short device + 22.3.12S HDMI short device	535
	22.5.3.12S	15A / Diagonal	Drywall	Short	22.2.3 double diagonal mounting plate + 22.3.7S outlet short device + 22.3.12S HDMI short device	535
	22.6.2.12S	20A / Linear	Drywall	Short	22.2.2 double linear mounting plate + 22.3.8S outlet short device + 22.3.12S HDMI short device	535
	22.6.3.12S	20A / Diagonal	Drywall	Short	22.2.3 double diagonal mounting plate + 22.3.8S outlet short device + 22.3.12S HDMI short device	535
Double Outlet-USB-A Kit	22.5.4.10S	15A / Linear	Alternate	Short	22.2.4 double linear mounting plate + 22.3.7S outlet short device + 22.3.10S USB-A short device	610
	22.5.4.10L	15A / Linear	Alternate	Long	22.2.4 double linear mounting plate + 22.3.7L outlet long device + 22.3.10L USB-A long device	610
	22.5.6.10S	15A / Diagonal	Alternate	Short	22.2.6 double diagonal mounting plate + 22.3.7S outlet short device + 22.3.10S USB-A short device	610
	22.5.6.10L	15A / Diagonal	Alternate	Long	22.2.6 double diagonal mounting plate + 22.3.7L outlet long device + 22.3.10L USB-A long device	610
	22.6.4.10S	20A / Linear	Alternate	Short	22.2.4 double linear mounting plate + 22.3.8S outlet short device + 22.3.10S USB-A short device	610
	22.6.4.10L	20A / Linear	Alternate	Long	22.2.4 double linear mounting plate + 22.3.8L outlet long device + 22.3.10L USB-A long device	610
	22.6.6.10S	20A / Diagonal	Alternate	Short	22.2.6 double diagonal mounting plate + 22.3.8S outlet short device + 22.3.10S USB-A short device	610
	22.6.6.10L	20A / Diagonal	Alternate	Long	22.2.6 double diagonal mounting plate + 22.3.8L outlet long device + 22.3.10L USB-A long device	610
	22.5.2.10S	15A / Linear	Drywall	Short	22.2.2 double linear mounting plate + 22.3.7S outlet short device + 22.3.10S USB-A short device	520
	22.5.3.10S	15A / Diagonal	Drywall	Short	22.2.3 double diagonal mounting plate + 22.3.7S outlet short device + 22.3.10S USB-A short device	520

22 System CAD Price List - 2023



Double Kits

9 of 12

Kit Name	Code	Amp/ Configuration	Type	Device Length	Description	CAD
	22.6.2.10S	20A / Linear	Drywall	Short	22.2.2 double linear mounting plate + 22.3.8S outlet short device + 22.3.10S USB-A short device	520
	22.6.3.10S	20A / Diagonal	Drywall	Short	22.2.3 double diagonal mounting plate + 22.3.8S outlet short device + 22.3.10S USB-A short device	520
Double Outlet-USB-C Kit	22.5.4.11S	15A / Linear	Alternate	Short	22.2.4 double linear mounting plate + 22.3.7S outlet short device + 22.3.11S USB-C short device	715
	22.5.4.11M	15A / Linear	Alternate	Medium	22.2.4 double linear mounting plate + 22.3.7M outlet medium device + 22.3.11M USB-C medium device	715
	22.5.4.11L	15A / Linear	Alternate	Long	22.2.4 double linear mounting plate + 22.3.7L outlet medium device + 22.3.11L USB-C long device	715
	22.5.6.11S	15A / Diagonal	Alternate	Short	22.2.6 double diagonal mounting plate + 22.3.7S outlet short device + 22.3.11S USB-C short device	715
	22.5.6.11M	15A / Diagonal	Alternate	Medium	22.2.6 double diagonal mounting plate + 22.3.7M outlet medium device + 22.3.11M USB-C medium device	715
	22.5.6.11L	15A / Diagonal	Alternate	Long	22.2.6 double diagonal mounting plate + 22.3.7L outlet long device + 22.3.11L USB-C long device	715
	22.6.4.11S	20A / Linear	Alternate	Short	22.2.4 double linear mounting plate + 22.3.8S outlet short device + 22.3.11S USB-C short device	715
	22.6.4.11M	20A / Linear	Alternate	Medium	22.2.4 double linear mounting plate + 22.3.8M outlet medium device + 22.3.11M USB-C medium device	715
	22.6.4.11L	20A / Linear	Alternate	Long	22.2.4 double linear mounting plate + 22.3.8L outlet long device + 22.3.11L USB-C long device	715
	22.6.6.11S	20A / Diagonal	Alternate	Short	22.2.6 double diagonal mounting plate + 22.3.8S outlet short device + 22.3.11S USB-C short device	715
	22.6.6.11M	20A / Diagonal	Alternate	Medium	22.2.6 double diagonal mounting plate + 22.3.8M outlet medium device + 22.3.11M USB-C medium device	715
	22.6.6.11L	20A / Diagonal	Alternate	Long	22.2.6 double diagonal mounting plate + 22.3.8L outlet long device + 22.3.11L USB-C long device	715

22 System CAD Price List - 2023



Double Kits

10 of 12

Kit Name	Code	Amp/ Configuration	Type	Device Length	Description	CAD
	22.5.2.11S	15A / Linear	Drywall	Short	22.2.2 double linear mounting plate + 22.3.7S outlet short device + 22.3.11S USB-C short device	625
	22.5.3.11S	15A / Diagonal	Drywall	Short	22.2.3 double diagonal mounting plate + 22.3.7S outlet short device + 22.3.11S USB-C short device	625
	22.6.2.11S	20A / Linear	Drywall	Short	22.2.2 double linear mounting plate + 22.3.8S outlet short device + 22.3.11S USB-C short device	625
	22.6.3.11S	20A / Diagonal	Drywall	Short	22.2.3 double diagonal mounting plate + 22.3.8S outlet short device + 22.3.11S USB-C short device	625
Double USB-C Kit	22.2.4.11S	Linear	Alternate	Short	22.2.4 double linear mounting plate + 22.3.11S USB-C short device (2)	880
	22.2.4.11M	Linear	Alternate	Medium	22.2.4 double linear mounting plate + 22.3.11M USB-C medium device (2)	880
	22.2.4.11L	Linear	Alternate	Long	22.2.4 double linear mounting plate + 22.3.11L USB-C long device (2)	880
	22.2.6.11S	Diagonal	Alternate	Short	22.2.6 double diagonal mounting plate + 22.3.11S USB-C short device (2)	880
	22.2.6.11M	Diagonal	Alternate	Medium	22.2.6 double diagonal mounting plate + 22.3.11M USB-C medium device (2)	880
	22.2.6.11L	Diagonal	Alternate	Long	22.2.6 double diagonal mounting plate + 22.3.11L USB-C long device (2)	880
	22.2.2.11S	Linear	Drywall	Short	22.2.2 double linear mounting plate + 22.3.11S USB-C short device (2)	790
	22.2.3.11S	Diagonal	Drywall	Short	22.2.3 double diagonal mounting plate + 22.3.11S USB-C short device (2)	790
Double Switch Kit	22.2.4.2S	Linear	Alternate	Short	22.2.4 double linear mounting plate + 22.3.2S switch short device (2)	690
	22.2.6.2S	Diagonal	Alternate	Short	22.2.6 double diagonal mounting plate + 22.3.2S switch short device (2)	690
	22.2.2.2S	Linear	Drywall	Short	22.2.2 double linear mounting plate + 22.3.2S switch short device (2)	600
	22.2.3.2S	Diagonal	Drywall	Short	22.2.3 double diagonal mounting plate + 22.3.2S switch short device (2)	600
Double Control Kit	22.2.4.6S	Linear	Alternate	Short	22.2.4 double linear mounting plate + 22.3.6S control short device (2)	890
	22.2.6.6S	Diagonal	Alternate	Short	22.2.6 double diagonal mounting plate + 22.3.6S control short device (2)	890
	22.2.2.6S	Linear	Drywall	Short	22.2.2 double linear mounting plate + 22.3.6S control short device (2)	800
	22.2.3.6S	Diagonal	Drywall	Short	22.2.3 double diagonal mounting plate + 22.3.6S control short device (2)	800

22 System CAD Price List - 2023



Parts & Devices

11 of 12

Kit Name	Code	Amp/ Configuration	Type	Device Length	Description	CAD
Double Mounting Plate	22.2.2	Linear	Drywall		1 x double linear drywall mounting plate	140
	22.2.3	Diagonal	Drywall		1 x double diagonal drywall mounting plate	140
	22.2.4	Linear	Alternate		1 x double linear alternate mounting plate	230
	22.2.6	Diagonal	Alternate		1 x double diagonal alternate mounting plate	230
Single Mounting Plate	22.2.1	Single	Drywall		1 x single drywall mounting plate	95
	22.2.5	Single	Alternate		1 x single alternate mounting plate	185
Outlet	22.3.7S	15A		Short	1 x outlet, 15A 120V, short device	160
	22.3.7M	15A		Medium	1 x outlet, 15A 120V, medium device	160
	22.3.7L	15A		Long	1 x outlet, 15A 120V, long device	160
	22.3.8S	20A		Short	1 x outlet, 20A 120V, short device	160
	22.3.8M	20A		Medium	1 x outlet, 20A 120V, medium device	160
	22.3.8L	20A		Long	1 x outlet, 20A 120V, long device	160
Switch	22.3.2S			Short	1 x switch, short device	230
Telephone	22.3.3S			Short	1 x telephone, RJ12, short device	160
	22.3.3M			Medium	1 x telephone, RJ12, medium device	160
	22.3.3L			Long	1 x telephone, RJ12, long device	160
Cable	22.3.5S			Short	1 x cable, F connector, short device	160
	22.3.5M			Medium	1 x cable, F connector, medium device	160
	22.3.5L			Long	1 x cable, F connector, long device	160
Control	22.3.6S			Short	1 x keypad control, short device	330

22 System CAD Price List - 2023



Parts & Devices

12 of 12

Kit Name	Code	Amp/ Configuration	Type	Device Length	Description	CAD
Data	22.3.9S			Short	1 x data, RJ45 CAT6A, short device	160
	22.3.9M			Medium	1 x data, RJ45 CAT6A, medium device	160
	22.3.9L			Long	1 x data, RJ45 CAT6A, long device	160
USB-A	22.3.10S			Short	1 x USB-A, double port, short device	220
	22.3.10L			Long	1 x USB-A, double port, long device	220
USB-C	22.3.11S			Short	1 x USB-C, single port, short device	325
	22.3.11M			Medium	1 x USB-C, single port, medium device	325
	22.3.11L			Long	1 x USB-C, single port, long device	325
HDMI	22.3.12S			Short	1 x HDMI, short device	235
	22.3.12M			Medium	1 x HDMI, medium device	235
	22.3.12L			Long	1 x HDMI, long device	235
Removal Tool	22.1				1 x removal tool (Required for all 22 System installations)	110
Trim Cap	22.1.2M				1 x trim cap	10
Template	22.1.4	Linear			1 x linear alternate material template	50
	22.1.6	Diagonal			1 x diagonal alternate material template	50