### Single Kits

1 of 4

SHIPPING

Standard 5-10 day shipping outside of North America.

US patent # 7,956,295 B2 US patent # 8,912,439 B2 CAN patent # 2697182 Worldwide utility patents pending

#### LEAD TIMES

2-3 business days from receipt of payment in full.

Standard colours include: white, almond, grey, and black. CE compliant and UL listed.

#### 22 SYSTEM TOOL IS REQUIRED FOR ALL INSTALLATIONS.

Kit Name	Code	Diameter	Туре	Device Length	Description	GBP
Single Outlet Kit — Type G	22.7.5S	Ø46	Alternate	Short	22.2.19B single mounting plate + 22.3.18S outlet short device	185
	22.7.5M	Ø46	Alternate	Medium	22.2.19B single mounting plate + 22.3.18M outlet medium device	185
	22.7.5L	Ø46	Alternate	Long	22.2.19B single mounting plate + 22.3.18L outlet long device	185
	22.7.18	Ø46	Plasterboard	Short	22.2.15 single mounting plate + 22.3.18S outlet short device	130
Single USB-A Kit	22.2.20.10S	Ø35	Alternate	Short	22.2.20B single mounting plate + 22.3.10S USB-A short device	205
	22.2.20.10L	Ø35	Alternate	Long	22.2.20B single mounting plate + 22.3.10L USB-A long device	205
	22.2.17.10\$	Ø35	Plasterboard	Short	22.2.17 single mounting plate + 22.3.10S USB-A short device	150
Single USB-C Kit	22.2.20.11\$	Ø35	Alternate	Short	22.2.20B single mounting plate + 22.3.11S USB-C short device	275
	22.2.20.11M	Ø35	Alternate	Medium	22.2.20B single mounting plate + 22.3.11M USB-C medium device	275
	22.2.20.11L	Ø35	Alternate	Long	22.2.20B single mounting plate + 22.3.11L USB-C long device	275
	22.2.17.11S	Ø35	Plasterboard	Short	22.2.17 single mounting plate + 22.3.11S USB-C short device	215



2 of 4



Kit Name	Code	Diameter	Туре	Device Length	Description	GBP
Double Outlet Kit — Type G	22.7.4S	Ø46	Alternate	Short	22.2.19B single mounting plate (2) + 22.3.18S outlet short device (2)	290
	22.7.4M	Ø46	Alternate	Medium	22.2.19B single mounting plate (2) + 22.3.18M outlet medium device (2)	290
	22.7.4L	Ø46	Alternate	Long	22.2.19B single mounting plate (2) + 22.3.18L outlet long device (2)	290
	22.7.2S	16A	Plasterboard	Short	22.2.16 double linear mounting plate + 22.3.18S outlet short device (2)	235
Double Outlet-USB-A Kit	22.7.4.10S	Ø35 + Ø46	Alternate	Short	22.2.19B single mounting plate (Ø46) + 22.2.20B single mounting plate (Ø35) + 22.3.18S outlet short device + 22.3.10S USB-A short device	310
	22.7.4.10L	Ø35 + Ø46	Alternate	Long	22.2.19B single mounting plate (Ø46) + 22.2.20B single mounting plate (Ø35) + 22.3.18L outlet short device + 22.3.10L USB-A long device	310
	22.7.2.10\$	Ø35 + Ø46	Plasterboard	Short	22.2.18 double linear mounting plate + 22.3.18S outlet short device + 22.3.10S USB-A short device	255
Double Outlet-USB-C Kit	22.7.4.11S	Ø35 + Ø46	Alternate	Short	22.2.19B single mounting plate (Ø46) + 22.2.20B single mounting plate (Ø35) + 22.3.18S outlet short device + 22.3.11S USB-C short device	380
	22.7.4.11M	Ø35 + Ø46	Alternate	Medium	22.2.19B single mounting plate (Ø46) + 22.2.20B single mounting plate (Ø35) + 22.3.18S outlet short device + 22.3.11M USB-C medium device	380
	22.7.4.11L	Ø35 + Ø46	Alternate	Long	22.2.19B single mounting plate (Ø46) + 22.2.20B single mounting plate (Ø35) + 22.3.18S outlet short device + 22.3.11L USB-C long device	380
	22.7.2.11\$	Ø35 + Ø46	Plasterboard	Short	22.2.18 double linear mounting plate + 22.3.18S outlet short device + 22.3.11S USB-C short device	320

#### Parts & Devices

3 of 4



Kit Name	Code	Diameter	Туре	Device Length	Description	GBP
Double Mounting Plate	22.2.16	Ø46	Plasterboard		1 x double linear plasterboard mounting plate — Ø46	65
	22.2.18	Ø35 + Ø46	Plasterboard		1 x double linear plasterboard mounting plate — Ø35 + Ø46	65
Single Mounting Plate	22.2.15	Ø46	Plasterboard		1 x single plasterboard mounting plate — Ø46	45
	22.2.17	Ø35	Plasterboard		1 x single plasterboard mounting plate — Ø35	45
	22.2.19B	Ø46	Alternate		1 x single alternate mounting plate — Ø46	100
	22.2.20B	Ø35	Alternate		1 x single alternate mounting plate — Ø35	100
Outlet	22.3.198	Ø46		Short	1 x outlet type C/F, 16A 120V, short device	85
	22.3.19M	Ø46		Medium	1 x outlet type C/F, 16A 120V, medium device	85
	22.3.19L	Ø46		Long	1 x outlet type C/F, 16A 120V, long device	85
Cable	22.3.5S	Ø35		Short	1 x cable, F connector, short device	90
	22.3.5M	Ø35		Medium	1 x cable, F connector, medium device	90
	22.3.5L	Ø35		Long	1 x cable, F connector, long device	90
Control	22.3.6S	Ø35		Short	1 x keypad control, short device	190
Data	22.3.9S	Ø35		Short	1 x data, RJ45 CAT6A, short device	90
	22.3.9M	Ø35		Medium	1 x data, RJ45 CAT6A, medium device	90
	22.3.9L	Ø35		Long	1 x data, RJ45 CAT6A, long device	90
USB-A	22.3.10\$	Ø35		Short	1 x USB-A, double port, short device	105
	22.3.10L	Ø35		Long	1 x USB-A, double port, long device	105
USB-C	22.3.11\$	Ø35		Short	1 x USB-C, single port, short device	175
	22.3.11M	Ø35		Medium	1 x USB-C, single port, medium device	175
	22.3.11L	Ø35		Long	1 x USB-C, single port, long device	175

#### Parts & Devices

4 of 4



Kit Name	Code	Diameter	Type	Device Length	Description	GBP
HDMI	22.3.12S	Ø35		Short	1 x HDMI, short device	105
	22.3.12M	Ø35		Medium	1 x HDMI, medium device	105
	22.3.12L	Ø35		Long	1 x HDMI, long device	105
22 System Tool	22.1	Ø35			1 x 22 System Tool Ø35	35
	22.1.46	Ø46			1 x 22 System Tool Ø46	35
	22 System Tool Dual Kit	Ø35 + Ø46			1 x 22 System Tool Ø35 1 x 22 System Tool Ø46	70
Trim Cap	22.1.2	Ø35			1 x trim cap Ø35	10
	22.1.3M	Ø46			1 x trim cap Ø46	10
Template	22.1.7	Ø35			1 x alternate material template	20
	22.1.8	Ø35 + Ø46			1 x alternate material template	20
Colour Sample	22 color sample set				1x - colour chip sample	10